

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors	PO ID PO37473	All Receipt Dates	All Line Item Types
-------------	---------------	-------------------	---------------------

Total Received Quantity:	49.00000
Total Qty to Inspect (PO U/M):	0.00000
Total Reject Quantity:	0.00000
Total Receipt Value:	\$0.00
Total Balance Due Quantity:	0.00000



Castle Metals®

A. M. Castle & Co.


PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No: 3376415

Ship From: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped 06-SEP-17	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier MANITOU LIN	BOL No 3376415-2

Shipment Details	Final Destination Branch - TOR
-------------------------	---------------------------------------

Order No 4863154	Line No 3	Item No 752188.MO	Description 1.0000.PL.7075.T651.ALUMINUM.US1.48.5000.144.5000 CUT 2SIDED TO 5 IN (+ .1250/- .0000 IN) X 144.5 IN (+ .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12		
Purchase Order No 37473	Part Number	Ordered Qty 4.00 PCS	Invoice Qty 4.00 PCS		
Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX: HEAT #S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS					
Delivery No. 121282766	Mill/Source CONSTELLUM ROLLED PRODUCTS	Heat Number 	Mech Id 4	PCS 4	Shipped Qty(LBS) 300.9393

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

SHIPPED SEP 06 2017

Date:

Name: *Clavoie*



Date Printed: 06-SEP-2017 02:48:40 PM



Constellium




CERTIFIED TEST REPORT
Constellium Rolled Products
Ravenswood, LLC

S
H
I
P
T
O

A M CASTLE CO
3050 SO HYDRAULIC
WICHITA KS
67216
US

S
O
L
D
T
O

A M CASTLE
1420 KENSINGTON ROAD, SUITE 220
OAK BROOK IL
60523
US

A M CASTLE		110539772		4075		INCLUSION		Serial:20170527-0110539772		Pg 1of4	
CUSTOMER PURCHASE ORDER NO. & ITEM 419757						Constellium ORDER NO. 203735					
ALLOY 7075	CLAD	TEMPER T651	GUAGE 1.00000 in 25.40 mm	WIDTH 48.50000 in 1,232 mm	LENGTH 144.50000 in 3,670 mm		CERTIFICATION "Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination." Constellium Rolled Products Ravenswood, LLC 859 Century Road P.O. BOX 68 RAVENSWOOD, WV 26164 USA  Steve Good - Laboratory Manager				
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH											
CUSTOMER SPECIFICATION AMS 4045K											
PART NUMBER 752188		B/L NUMBER 81388		DATE SHIPPED 05/29/2017							
WT. SHIPPED 5770.000 LB		NO. OF PIECES 000008		GOVT. CONTRACT NO.							

ALL LOTS ON THIS CERTIFICATION ALSO CONFORM TO THE FOLLOWING REQUIREMENTS:

ASTM B594 REV 13 2013 100% SONIC W/ 0.125" DEADZONE Class A
 AMS QQ-A-250/12A
 AMS-STD-2154A 2012 TYPE1 CLASS A 100% SONIC MINUS DEADZONE
 ASTM B209-14
 BSS-7055B 2013 CLASS A 100% SONIC TESTED MINUS DEADZONE
 CST1008 REV E 2011 CLASS A 100% SONIC MINUS DEADZONE
 DPS 4.713 REV AK 2012 CLASS A 100% SONIC MINUS DEADZONE
 GAMP'S 9101 REV B 2006 CLASS A 100% SONIC MINUS DEADZONE
 PS 21211P 2010 CLASS A 100% SONIC MINUS DEADZONE

17/09/12

Load Details

Package	Net Lbs	Kg	Lot	Piece	Serial	Parent Lot
1001522455	725.000	328.854	9387991	01		
1001522455	725.000	328.854	9387991	02		
1001522455	725.000	328.854	9387991	03		
1001522460	725.000	328.854	9387992	01		
1001522460	725.000	328.854	9387992	02		
1001522460	725.000	328.854	9387992	03		
1001522466	710.000	322.050	9387993	01		
1001522466	710.000	322.050	9387993	02		

Lot: 9387991

Tensile - Room Temperature (US)

		Ultimate (KSI)		Yield (KSI)		Elongation (%)		Report
Direction	Tests	Min	Max	Min	Max	Min	Max	
LT	02	79.8	80.5	70.1	72.3	13.0	13.0	





Constellium



CERTIFIED TEST REPORT
Constellium Rolled Products
Ravenswood, LLC

S
H
I
P

T
O

A M CASTLE CO
3050 SO HYDRAULIC
WICHITA KS
67216
US

S
O
L
D

T
O

A M CASTLE
1420 KENSINGTON ROAD, SUITE 220
OAK BROOK IL
60523
US

A M CASTLE 110539772 4075 INCLUSION Serial:20170527-0110539772 Pg 2of4

CUSTOMER PURCHASE ORDER NO. & ITEM
419757

Constellium ORDER NO.
203735

ALLOY	CLAD	TEMPER	GAUGE	WIDTH	LENGTH
7075		T651	1.00000 in 25.40 mm	48.50000 in 1,232 mm	144.50000 in 3,670 mm

ITEM ORDERED
SPEC PLATE, SAWED
MILL FINISH

CUSTOMER SPECIFICATION
AMS 4045K

PART NUMBER	B/L NUMBER	DATE SHIPPED
752188	81388	05/29/2017

WT. SHIPPED	NO. OF PIECES	GOVT. CONTRACT NO.
5770.000 LB	000008	

CERTIFICATION
"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."
Constellium Rolled Products Ravenswood, LLC
859 Century Road
P.O. BOX 68
RAVENSWOOD, WV 26164 USA

Steve Good

Steve Good - Laboratory Manager

Tensile - Room Temperature (SI)

		Ultimate (N/MM2)		Yield (N/MM2)		Elongation (%)		Report
Direction	Tests	Min	Max	Min	Max	Min	Max	
LT	02	550	555	483	498	13.0	13.0	

Chemistry (Actual)

	SI	FE	CU	MN	MG	CR	ZN	TI	ZR
Core	0.05	0.16	1.38	0.03	2.48	0.20	5.45	0.04	0.01

17/09/12

OTHERS-EACH: .05 MAX. OTHERS TOTAL: .15 MAX. AL REMAINDER

All material contained in this lot was cast and manufactured in the USA

Lot: 9387992

Tensile - Room Temperature (US)

		Ultimate (KSI)		Yield (KSI)		Elongation (%)		Report
Direction	Tests	Min	Max	Min	Max	Min	Max	
LT	02	80.3	80.6	71.5	72.0	12.5	13.5	





Constellium




CERTIFIED TEST REPORT
Constellium Rolled Products
Ravenswood, LLC

S
H
I
P
T
O

A M CASTLE CO
3050 SO HYDRAULIC
WICHITA KS
67216
US

S
O
L
D
T
O

A M CASTLE
1420 KENSINGTON ROAD, SUITE 220
OAK BROOK IL
60523
US

A M CASTLE		110539772		4075		INCLUSION		Serial:20170527-0110539772		Pg 3of4	
CUSTOMER PURCHASE ORDER NO. & ITEM 419757						Constellium ORDER NO. 203735			CERTIFICATION "Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination." Constellium Rolled Products Ravenswood, LLC 859 Century Road P.O. BOX 68 RAVENSWOOD, WV 26164 USA  Steve Good - Laboratory Manager		
ALLOY 7075	CLAD	TEMPER T651	GAUGE 1.00000 in 25.40 mm	WIDTH 48.50000 in 1,232 mm	LENGTH 144.50000 in 3,670 mm						
ITEM ORDERED SPEC PLATE, SAWED MILL FINISH											
CUSTOMER SPECIFICATION AMS 4045K											
PART NUMBER 752188			B/L NUMBER 81388		DATE SHIPPED 05/29/2017						
WT. SHIPPED 5770.000 LB		NO. OF PIECES 000008		GOVT. CONTRACT NO.							

Tensile - Room Temperature (SI)								
		Ultimate (N/MM2)		Yield (N/MM2)		Elongation (%)		Report
Direction	Tests	Min	Max	Min	Max	Min	Max	
LT	02	554	556	493	496	12.5	13.5	


Chemistry (Actual)									
	SI	FE	CU	MN	MG	CR	ZN	TI	ZR
Core	0.05	0.16	1.38	0.03	2.48	0.20	5.45	0.04	0.01

OTHERS-EACH: .05 MAX. OTHERS TOTAL: .15 MAX. AL REMAINDER

All material contained in this lot was cast and manufactured in the USA

Lot: 9387993

Tensile - Room Temperature (US)								
		Ultimate (KSI)		Yield (KSI)		Elongation (%)		Report
Direction	Tests	Min	Max	Min	Max	Min	Max	
LT	02	79.9	80.8	70.4	71.5	13.0	13.5	





Constellium



CERTIFIED TEST REPORT
Constellium Rolled Products
Ravenswood, LLC

S
H
I
P
T
O

A M CASTLE CO
3050 SO HYDRAULIC
WICHITA KS
67216
US

S
O
L
D
T
O

A M CASTLE
1420 KENSINGTON ROAD, SUITE 220
OAK BROOK IL
60523
US

A M CASTLE 110539772 4075 INCLUSION Serial:20170527-0110539772 Pg 4of4

CUSTOMER PURCHASE ORDER NO. & ITEM
419757

Constellium ORDER NO.
203735

ALLOY 7075	CLAD	TEMPER T651	GAUGE 1.00000 in 25.40 mm	WIDTH 48.50000 in 1,232 mm	LENGTH 144.50000 in 3,670 mm
---------------	------	----------------	---------------------------------	----------------------------------	------------------------------------

ITEM ORDERED
SPEC PLATE, SAWED
MILL FINISH

CUSTOMER SPECIFICATION
AMS 4045K

PART NUMBER
752188

B/L NUMBER
81388

DATE SHIPPED
05/29/2017

WT. SHIPPED
5770.000 LB

NO. OF PIECES
000008

GOVT. CONTRACT NO.

CERTIFICATION

"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."

Constellium Rolled Products Ravenswood, LLC
859 Century Road
P.O. BOX 68
RAVENSWOOD, WV 26164 USA

Steve Good

Steve Good - Laboratory Manager

Tensile - Room Temperature (SI)

		Ultimate (N/MM2)		Yield (N/MM2)		Elongation (%)		Report
Direction	Tests	Min	Max	Min	Max	Min	Max	
LT	02	551	557	485	493	13.0	13.5	

Chemistry (Actual)

	SI	FE	CU	MN	MG	CR	ZN	TI	ZR
Core	0.05	0.16	1.38	0.03	2.48	0.20	5.45	0.04	0.01

OTHERS-EACH: .05 MAX. OTHERS TOTAL: .15 MAX. AL REMAINDER

All material contained in this lot was cast and manufactured in the USA

QUALITY TEXTS:
AMC CA-15403 R 8

THIS TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE LABORATORY OR AUTHORIZED QUALITY DELEGATE. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CHEMISTRY BY OES: ARKSPARK

CHEMISTRIES REPORTED IN PERCENTAGE BY WEIGHT

WHEN FRACTURE TOUGHNESS TEST REQUIRED, TESTED PER ASTM E399

WHEN TENSILE TEST REQUIRED, TESTED PER ASTM E8; B557

DUNS Number: 090570149; CAGE Code: 1YWL9

Mercury is not a normal contaminant in aluminum alloys and neither mercury nor any of its compounds were utilized in the manufacture of our product.

"END OF CERTIFICATION"



SPECIFICATION CONTROL DRAWING

△ PURCHASE MATERIAL: 7075-T6/T62/T651 ALUMINUM SHEET OR PLATE

SPECIFICATION: QQ-A-250/12 OR AMS-QQ-A-250/12
OR AMS 4045
OR ASTM B209

OR

△ PURCHASE MATERIAL: 7075-T6/T62/T651 ALCLAD ALUMINUM SHEET OR PLATE

△ SPECIFICATION: QQ-A-250/13 OR AMS-QQ-A-250/13
OR AMS 4048 / 4049
OR ASTM B209

△ PART NUMBER: M7075T6S | TTT | X | W | WWW |
THK | WIDTH

△ WHERE "TTT" = THICKNESS (IN INCHES)
AND "W, WWW" = WIDTH (IN INCHES, OPTIONAL, FOR SPECIFYING CUT PLATE)

EG. 0.063" THICK SHEET = M7075T6S.063
EG. 3.5" WIDE BY 0.500" THICK PLATE = M7075T6S.500X3.500

△ PREFERRED SIZE: .TTT BY 4FT BY 10FT FOR SHEET

1.00 X 5.00

RELEASED

2017 JUN 19
ECN 17-574

APPROVED

B	ADD. REF TO "PLATE" T651 TEMPER, AMS 4048, OPTIONAL WIDTH DIM (CARTG-148)	CP	17.05.05
A	NEW ISSUE	RF	10.11.08
REV.	DESCRIPTION	BY	DATE
DESIGN	RF		
DRAWN	CP		
CHECKED	ML		
MFG. APPR.	LL		
APPROVED	WM		
DE APPR.	DS		
DATE	17.05.05		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWING NO. M7075T6S			
REV. B			
SHEET 1 OF 1			
SCALE			
7075-T6 SHEET/PLATE SPEC NTS			
COPYRIGHT © 2005 DART AEROSPACE LTD ALL RIGHTS RESERVED. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

MATERIAL RECEIPT INSPECTION FORM

MATERIAL M7075 TL S1.00X5.00

PO / BATCH NO 37473/138457

DATE 17/09/12

MATERIAL CERT REC'D yes
 QUANTITY RECEIVED 48'
 QUANTITY INSPECTED 48'
 QUANTITY REJECTED _____

THICKNESS ORDERED 1.00
 THICKNESS RECEIVED 1.00
 SHEET SIZE ORDERED _____
 SHEET SIZE RECEIVED _____

DESCRIPTION	ACR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL PER M-DRAWING	Y <input checked="" type="checkbox"/> N	AMS - QQ - A-250/12
CORRECT THICKNESS	<input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/>	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> N	HEAT# 9387992
CORRECT MATERIAL IDENTIFICATION	Y <input checked="" type="checkbox"/> N	M7075 TL S1.00X5.00
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> N	M138457
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>[Signature]</u>	SIGNED OFF BY: _____		
DATE: <u>17/09/12</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO37473**

Purchase Order Date 8/18/2017

PO Print Date 8/18/2017

Page Number 1 of 3

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED
2017/08/21

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency USD

FOB Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M7075T6S0.375X8.000	7075-T6S Sheet .375" Thick Plate x 8" Wide	9/8/2017 Yes 9/8/2017		12.00 f	\$30.75	\$369.00
MAT'L 7075-T6/T62 ALUMINUM SHEET SPECS QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR PER ASTM B209							
MAT'L 7075-T6/T62 ALCLAD ALUMINUM SHEET SPECS QQ-A-250/13 OR AMS-QQ-A-250/13 OR AMS 4049 OR PER ASTM B209							
Line Total:							\$369.00
2	M7075T6S1.500X1.500	7075-T6S Sheet 1.5" Thick Plate x 1.5" Wide	9/8/2017 Yes 9/8/2017	FN	24.00 f	\$21.06	\$505.44
MAT'L 7075-T6/T62 ALUMINUM SHEET SPECS QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR PER ASTM B209							
MAT'L 7075-T6/T62 ALCLAD ALUMINUM SHEET SPECS QQ-A-250/13 OR AMS-QQ-A-250/13 OR AMS 4049 OR PER ASTM B209							

Note:

8/18/2017



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO37473**

Purchase Order Date 8/18/2017

PO Print Date 8/18/2017

Page Number 2 of 3

Order From :

VU-MET002

METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Diane Baker

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

Line Total: \$505.44

3	M7075T6S1.750X2.250	7075-T6 SHEET 1.750" X 2.250"	9/8/2017	36.00	\$28.62	\$1,030.32
			Yes	f		
			9/8/2017			

MAT'L 7075-T6/T62 ALUMINUM SHEET
SPECS QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR PER ASTM B209

MAT'L 7075-T6/T62 ALCLAD ALUMINUM SHEET
SPECS QQ-A-250/13 OR AMS-QQ-A-250/13 OR AMS 4049 OR PER ASTM B209

Line Total: \$1,030.32

4	M7075T6S1.000X5.000	7075-T6 Sheet 1" Thick Plate x 5" Wide	9/8/2017 FN	48.00	\$21.75	\$1,044.00
			Yes	sf		
			9/8/2017			

MAT'L 7075-T6/T62 ALUMINUM SHEET
SPECS QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR PER ASTM B209

MAT'L 7075-T6/T62 ALCLAD ALUMINUM SHEET
SPECS QQ-A-250/13 OR AMS-QQ-A-250/13 OR AMS 4049 OR PER ASTM B209

Line Total: \$1,044.00

Note:

8/18/2017



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO37473**

Purchase Order Date 8/18/2017

PO Print Date 8/18/2017

Page Number 3 of 3

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Diane Baker

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

5	M7075T6S0.375X5.000	M7075T6S0.375 x 5.000	9/8/2017	36.00	\$18.10	\$651.60
			Yes	f		
			9/8/2017			

MAT'L 7075-T6/T62 ALUMINUM SHEET
SPECS QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR PER ASTM B209

MAT'L 7075-T6/T62 ALCLAD ALUMINUM SHEET
SPECS QQ-A-250/13 OR AMS-QQ-A-250/13 OR AMS 4049 OR PER ASTM B209

Line Total: \$651.60

6	71401-45	PROCUREMENT QUALITY CLAUSES	9/8/2017	1.00	\$0.00	\$0.00
			No			
			9/8/2017			

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

Line Total: \$0.00

PO Total: \$3,600.36

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 3

Change Date: 8/18/2017